C-810 ZERO CLEARANCE HANGER INSTRUCTION SHEET

K. N. CROWDER'S C-810 ZERO CLEARANCE HANGER PERMITS A MINIMAL GAP BETWEEN DOOR AND UNDERSIDE OF TRACK OF 3/16"!


HANGER CARRIAGE ASSEMBLY IS MACHINED STEEL THUS ALLOWING THE LOAD CAPACITY OF HEAVY DOORS UP TO 300LBS!



NEW!

CYCLE TESTED PRECISION BALL BEARINGS. SMOOTH AND SILENT SLIDING DOORS!









K.N. CROWDER MFG. INC.

1220 BURLOAK DRIVE BURLINGTON, ONTARIO, CANADA, L7L 6B3 TELEPHONE: 905-315-9788 - FAX: 905-315-8090 TOLL FREE FAX: 1-800-567-0123 K.N. CROWDER INC. 210 EIGHTH STREET SOUTH LEWISTON, NEW YORK, U.S.A. 14092 TELEPHONE: 1-716-754-8247 TOLL FREE FAX: 1-800-567-0123


WEBSITE: www.kncrowder.com --- E-MAIL: customerservice@kncrowder.com








STEP 2 CUT ALUMINUM TRACK (C-104 OR C-108) TO CORRECT SIZE IF REQUIRED. TRACK LENGTH SHOULD BE EQUAL TO FINISHED OPENING SIZE LESS 1/8".




STEP 5 PREPARE DOOR TO RECIEVE C-811 'U'-HOUSING FLUSH WITH DOOR TOP. SLOT MUST BE 10" [254 mm] LONG, 1-1/8" [28.6 mm] WIDE, AND 1-3/8" [34.9 mm] DEEP. SEE ILLUSTRATION FOR MORE DETAILS.



STEP 6 PLACE C-811 'U'-HOUSING INTO SLOT CREATED IN STEP 5 WITH PIN TOWARDS CENTRE OF DOOR. HOUSING SHOULD BE SET 1/8" FROM EDGE OF DOOR IN ORDER TO ACCOMMODATE END CAP. SEE ILLUSTRATION IN STEP 11. SECURE TO DOOR WITH #10 X 1-3/4" FLATHEAD SCREWS (5). REPEAT FOR

OPPOSITÈ ÉND OF DOOR.




STEP 7

PREPARE DOOR FOR INSTALLATION OF OPTIONAL PRODUCTS SUCH AS GUIDE CHANNELS, CUP PULLS, LOCKS, ETC, AS REQUIRED. INDIVIDUAL INSTRUCTIONS ARE PROVIDED WITH THE RESPECTIVE PRODUCT.


STEP 8

RAISE THE DOOR INTO POSITION AND SLIDE C-812 'H'-BAR INTO C-811 'U'-HOUSING. NOTE: THREADED END HOLE MUST FACE OUTWARD. THE SQUARE BASE OF THE C-814 HANGER STUD MUST BE ALIGNED WITH THE LOWER GUIDE CHANNEL SLOT OF THE C-811 'U'-HOUSING. THE PURPOSE OF THIS SQUARE BASE IS TO PREVENT ROTATION OF THE BOLT THEREFORE SECURING THE HEIGHT ADJUSTMENT. REPEAT STEP FOR OPPOSITE END OF DOOR.




STEP 9

TO ADJUST DOOR HEIGHT AND PLUMB SLIDE C-812 'H'-BAR OUT OF C-811 'U'-HOUSING AND ADJUST C-814 HANGER STUD WITH C-818 ADJUSTMENT WRENCH. REPEAT UNTIL REQUIRED HEIGHT AND PLUMB IS ACHIEVED.




STEP 10


ONCE ADJUSTMENTS HAVE BEEN FINALIZED, SECURE C-816 SAFETY LOCK BOLT WITH C-818 ADJUSTMENT WRENCH. NOTE: THIS CUSTOM BOLT HAS BEEN MANUFACTURED TO ENGAGE A PRE-DRILLED POSITION IN THE C-811 'U'-HOUSING IN ORDER TO PREVENT ACCIDENTAL DISENGAGEMENT.



STEP 11

PLACE C-815 END CAP IN PLACE WITH THE LOWER PIN ENGAGING THE HOLE IN THE BOTTOM OF THE C-811 'U' HOUSING. SECURE END CAP IN PLACE WITH C-817 END CAP BOLT BY USING C-819 ALLEN KEY.





OPTIONAL PRODUCTS

