TYPE CC-B-2X6

KNC
Catch 'N' Close

FEATURES

- 150 lbs. [68 kg] weight capacity
- Effortless opening and closing of the door with the Catch 'N' Close Closing System (for doors wider than 30 in [762 mm])
- Easy Connect Hanger System for easy installation
- Nylon wheels and precision ball bearings provide smooth and quiet door operation
- Adjustable in-track stops
- Crowder Frame pocket door kit including header track, header brackets, steel uprights and foot brackets to build a pocket on site
- Cycle tested for up to 150,000 cycles without fail
- ADA Compliant (Barrier-free) design

COMPLETE 1 DOOR KIT BREAKDOWN

Each kit includes one CP-426-RS Header Track c/w Catch 'N' Close Slot x length based on kit size, two CP-HB2X6 Header Brackets, two CP-930 Drywall Support x length based on kit size, four (or six) Steel Uprights x length based on kit size, two (or three) CP-2X6 Foot Brackets, one CC-493 Easy Connect Catch 'N' Close Hanger, one CP-493 Easy Connect Pocket Hanger, two CC-100 Catch 'N' Close In-Track Stops, two Catch 'N' Close Closing Devices, one CP-008 Catch 'N' Close Crowder Frame Clip, one C-201 Guide Channel x length based on kit size, one CP-200 Pocket Guide and necessary fasteners

- ◯ **CC-75** for doors up to 75 lbs. [34 kg]
- ◯ **CC-1** for doors up to 150 lbs. [68 kg]

Door Width

- ◯ 30 in [762 mm] to 36 in [914 mm] wide
- ◯ Greater than 36 in [914 mm] to 48 in [1219 mm] wide

Door Height

- ◯ 80 in [2032 mm] to 84 in [2134 mm] or 2150 mm high
- ◯ 92 in [2337 mm] to 96 in [2438 mm] or 2455 mm high
- ◯ 116 in [2947 mm] to 120 in [3048 mm]

OPTIONAL

Door Locks & Pulls

Add-On Products

◯ **CPD-2X6-Joiner Kit**

Use for applications where double bi-parting door openings are required. Two single Crowder Frame kits are required in order to use the joiner kit.

Customer Name _____ **Job No./Name** _____ **Date** _____ **Provided By** _____

Notes

KN Crowder
1220 Burloak Drive, Burlington, Ontario, Canada, L7L 6B3
T. 1–866–999–1562 customerservice@kncrowder.com kncrowder.com
© 2020-2025 K.N. Crowder Mfg. Inc. All Rights Reserved.

TYPE CC-B-2X6

KNC
Catch 'N' Close

COMPLETE ELEVATION VIEW



Customer Name _____ **Job No./Name** _____ **Date** _____ **Provided By** _____

Notes

KN Crowder
1220 Burloak Drive, Burlington, Ontario, Canada, L7L 6B3
T. 1–866–999–1562 customerservice@kncrowder.com kncrowder.com
© 2020-2025 K.N. Crowder Mfg. Inc. All Rights Reserved.

TYPE CC-B-2X6

KNC
Catch 'N' Close

PRODUCT DIMENSIONS



Installation Instructions

Customer Name _____ **Job No./Name** _____ **Date** _____ **Provided By** _____

Notes

KN Crowder
1220 Burloak Drive, Burlington, Ontario, Canada, L7L 6B3
T. 1–866–999–1562 customerservice@kncrowder.com kncrowder.com
© 2020-2025 K.N. Crowder Mfg. Inc. All Rights Reserved.